

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A computer-implemented method for managing data in a list, the method comprising:

creating a list having an item type and a relationship type;

generating a list entry template based on the relationship type, wherein the list entry template includes one or more item properties associated with the relationship type;

adding an item to the list by generating a list entry, in accordance with the entry template, representing an association relationship between an item and a root list item the item type, wherein the list entry comprises the one or more item properties specified by the list entry template relationship type;

adding the list entry to the list; and

storing the list in a memory of a data processing device.

2. (Previously Presented) The computer-implemented method of Claim 1, further comprising changing a location of the item and updating the entry to refer to the changed location.

3. (Previously Presented) The computer-implemented method of Claim 1, wherein the status of the item changes when the item is deleted, and updating the entry includes removing the entry from the list.

4. (Currently Amended) The computer-implemented method of Claim 1, further comprising ~~defining for the one or more properties specified by the relationship type, wherein generating a list entry includes~~ generating a value for the one or more item properties of the list entry.

5. (Previously Presented) The computer-implemented method of Claim 4, further comprising moving the item to a new list, wherein moving includes deleting the entry from the

original list and generating an entry in the new list and copying the value for any property that the new list's relationship type has in common with the original list's relationship type.

6. (Previously Presented) The computer-implemented method of Claim 5, further comprising copying the item to a new list, wherein copying includes generating an entry in the new list and copying the value for any property that the new list's relationship type has in common with the original list's relationship type.

7. (Previously Presented) The computer-implemented method of Claim 1, the method further comprising deleting an item, wherein deleting includes removing the entry from the list and removing any other entry in other lists, where the other entry also represents an association with the item.

8. (Previously Presented) The computer-implemented method of Claim 1, the method further comprising applying a view to the list, wherein applying the view includes retrieving entries in the list having properties that match properties specified in the view and applying a display characteristic to the values of the matching properties.

9. (Previously Presented) The computer-implemented method of Claim 1, wherein the list is a file in XML format, wherein the entry is a non-holding reference to the item associated with the item type and the property is a metadata associated with the item, and updating the entry includes serializing a shell link to the reference.

10. (Previously Presented) The computer-implemented method of Claim 1, wherein the list is a file system container, and the entry is a holding reference to an item, the holding reference reflecting a current status of the item.

11. (Currently Amended) A system for managing data, the system comprising:

a storage medium for storing items of data and a list entry template, wherein the list entry template is generated based on a relationship type of a list of selected items;

a processing unit for operating a process to generate ~~a~~ the list of selected items in response to a user input, wherein each entry of the list is generated in accordance with the list entry template and represents a reference to the item independent of the item's location in the storage medium, and wherein each entry includes a property value generated in accordance with the list entry template; and

a display unit for displaying a view of the items in the list, the view including a display of the property values of the entry in accordance with a display characteristic.

12. (Original) The system of Claim 11, wherein the stored items of data are moved to a new location and the process to generate the list of items includes a process to update the entry to refer to the new location.

13. (Original) The system of Claim 12, wherein the process to update the entry includes removing the entry from the list when the item is no longer stored on the storage medium.

14. (Original) The system of Claim 11, wherein the process to generate the list includes a process to copy the item to a new list comprising making an entry in the new list and copying the property value from the original entry to the new entry in accordance with the new list's entry template.

15. (Original) The system of Claim 13, wherein the process to generate the list includes a process to move the item to a new list including the process to copy the item to the new list plus a process to delete the entry from the original list.

16. (Original) The system of Claim 11, wherein the processing unit is to further operate a process to delete an item from the storage medium that includes removing all entries that refer to the item.

17. (Original) The system of Claim 11, wherein the generated list is a file in XML format, and wherein the entry in the list is a non-holding reference to the item and the property is a metadata associated with the item, and updating the entry includes serializing a shell link to the reference.

18. (Original) The system of Claim 11, wherein the generated list is a file system container, and the entry is a holding reference to the item, the holding reference referring to a current location of the item.

19. (Currently Amended) A computer-accessible medium having a computer-executable component for:

defining a list having an item type and a relationship type;

generating a list entry template based on the relationship type of the list, wherein the list entry template includes one or more item properties specified by the relationship type;

adding an item to the list by generating a list entry, in accordance with the list entry template, representing an association between an item and the item type, wherein the list entry comprises the one or more item properties specified by the relationship type of the list entry template;

adding the list entry to the list; and

updating the entry whenever a status of the item changes.

20. (Original) The computer accessible medium of Claim 19, wherein the computer executable component updates the entry to refer to a current location of the item, regardless of an actual location of the item.

21. (Original) The computer accessible medium of Claim 19, wherein the computer executable component automatically removes the entry from the list when the item is deleted.

22. (Original) The computer accessible medium of Claim 19, wherein the computer-executable component further defines for the one or more item properties specified by the relationship type, wherein generating a list entry includes generating a value for the one or more item properties.

23. (Original) The computer accessible medium of Claim 19, wherein the computer-executable component further moves the item to a new list, wherein moving includes deleting the entry from the original list and generating an entry in the new list and copying the value for any property that the new list's relationship type has in common with the original list's relationship type.

24. (Original) The computer accessible medium of Claim 19, wherein the computer-executable component further copies the item to a new list, wherein copying includes generating an entry in the new list and copying the value for any property that the new list's relationship type has in common with the original list's relationship type.

25. (Original) The computer accessible medium of Claim 19, wherein the computer-executable component further applies a view to the list, wherein applying the view includes retrieving entries in the list having properties that match properties specified in the view and applying a display characteristic to the values of the matching properties.

26. (Original) The computer accessible medium of Claim 19, wherein the list is stored in XML format, wherein the entry is a non-holding reference to the item associated with the item type and the property is a metadata associated with the item, and updating the entry includes serializing a shell link to the reference.

27. (Original) The computer accessible medium of Claim 19, wherein the list is stored in a file system container, and the entry is a holding reference to an item, the holding reference reflecting a current status of the item.